



# FiberglassFeet

Foot Prosthetics



new



**Uniprox Prosthetic Feet**  
made of innovative fiberglass technology

 **uniprox**<sup>®</sup>



## Uniprox Fiberglass Feet

Made in Germany

With the Uniprox fiberglass feet, it has been possible to harness the outstanding mechanical properties of modern fiberglass technology in the field of prosthetics. The combination of the design and the flexibility of the material ensures smooth and harmonious movement sequences. At the same time, the feet withstand extreme loads – such as athletic activities, heavy impacts, or the carrying of heavy loads.

### Special Features

- Harmonious roll-over behavior thanks to flexible fiberglass
- Optimal power delivery through smoother energy return
- Minimal dead-point phenomenon thanks to sole design
- Resistant to fresh, salt, and chlorinated water
- Tested in accordance with ISO 10328

**care creates  
freedom**

uniquely close and human



[uniprox.de](https://www.uniprox.de)



For questions or orders, we are available Monday to Thursday from 8:00 am to 5:00 pm and Friday from 8:00 am to 4:00 pm:



Customer Service +49 36628 66 33 00  
Mail [info@uniprox.de](mailto:info@uniprox.de)

# Uniprox FiberglassFeet

## Overview



	F310 Uniprox Chopart	F340 Uniprox Mid-Profile	F360 Uniprox High-Profile
	< 159 kg	< 159 kg	< 159 kg
H <sub>2</sub> O			
HD			
Mobi			
Mobi			
Mobi			
Mobi			
Installation Height ↑	15 mm with footshell	118 mm with footshell	162 mm with footshell

# F310 Uniprox Chopart

High-performance fiberglass spring for forefoot amputation, which offers dynamic elasticity and energy return despite short spring length.

- Robust fiberglass construction in 6 spring categories
- Resistant to fresh, salt, and chlorinated water
- Incl. footshell, Spectra sock and 2-component adhesive
- 2-year warranty (footshell 6 months)



< 159 kg

H<sub>2</sub>O

HD

Mobi 1

Mobi 2

Mobi 3

Mobi 4

Order No.	Size	Heel Height	Installation Height	Weight	Article No.
F310- <input type="text" value="Size"/> <input type="text" value="Side"/> <input type="text" value="Category"/>	22 – 30	10 mm	ca. 15 mm (incl. footshell)	415 g (size 26) 130 g without footshell	4 603 180 0X 0Y 0ZZ

→ Order No. determine  +  L = left, R = right +  1 – 6  
 Sample Foot F310 in size 26, side right, category 2 → Order No. F310-26R2  
 → Article No. specify ZZ =  (see available sizes), X =  = left, = right, Y =   
 Sample Foot F310 in size 26, side right, category 2 → Article No. 4 603 180 02 02 026

## Category selection

Category	Foot Size	Low Load Hiking, Golf	Medium Load Hiking, Jogging, Skiing	High Load Tennis, Soccer, Basketball
1	22 – 27	33 – 64 kg	33 – 64 kg	
2	22 – 28	65 – 79 kg	65 – 79 kg	33 – 64 kg
3	22 – 29	80 – 95 kg	80 – 95 kg	65 – 79 kg
4	23 – 30	96 – 111 kg	96 – 111 kg	80 – 95 kg
5	24 – 30	112 – 127 kg	112 – 127 kg	96 – 111 kg
6	25 – 30	128 – 159 kg	128 – 159 kg	112 – 127 kg



## F340 Uniprox Mid-Profile

A high-performance fiberglass foot with a medium build height that, through the combination of materials and design, offers a harmonious and dynamic roll-over.

- Robust fiberglass construction in 6 spring categories
- Resistant to fresh, salt, and chlorinated water
- Heel height: 10 mm
- Installation height: 118 mm (incl. footshell)
- 2-year warranty (6 months for cosmetic foot cover)

→ Footshell (incl. Spectra sock) must be ordered separately



Order No.	Description	Size	Weight	Article No.
F340- <input type="text" value="Size"/> <input type="text" value="Category"/>	Uniprox Mid-Profile	23 – 29	597 g (size 26) without footshell	4 603 190 00 0Y OZZ
E-F80- <input type="text" value="Size"/> <input type="text" value="Side"/>	Footshell incl. Spectra sock	22 – 30	276 g (size 26)	4 602 029 0X 00 OZZ

→ Order No. determine  +  = 1 – 6 +  L = left, R = right

Sample Foot F340 in size 26, side right, category 2 → Order No. F340-26-2 and E-F80-26R

→ Article No. specify X = , Y = , ZZ =

Sample Foot F340 in size 26, category 2 → Article No. 4 603 190 00 02 026

Sample Footshell E-F80 in size 26, side right → Article No. 4 602 029 02 00 026

### Category selection

Category	Foot Size	Low Load Hiking, Golf	Medium Load Hiking, Jogging, Skiing	High Load Tennis, Soccer, Basketball
1	23 – 27	33 – 64 kg	33 – 64 kg	
2	23 – 28	65 – 79 kg	65 – 79 kg	33 – 64 kg
3	23 – 29	80 – 95 kg	80 – 95 kg	65 – 79 kg
4	24 – 29	96 – 111 kg	96 – 111 kg	80 – 95 kg
5	25 – 29	112 – 127 kg	112 – 127 kg	96 – 111 kg
6	27 – 29	128 – 159 kg	128 – 159 kg	112 – 127 kg



## F360 Uniprox High-Profile

Highly active fiberglass foot designed to meet the most demanding requirements for flexibility and dynamics, while simultaneously delivering high and harmonious energy return.

- Robust fiberglass construction in 6 spring categories
- Resistant to fresh, salt, and chlorinated water
- Heel height: 10 mm
- Installation height: 162 mm (incl. footshell)
- 2-year warranty (6 months for cosmetic foot cover)

→ Footshell (incl. Spectra sock) must be ordered separately



Order No.	Description	Size	Weight	Article No.
F360- <input type="text" value="Size"/> <input type="text" value="Category"/>	Uniprox High-Profile	23 – 29	622 g (size 26) without footshell	4 603 200 00 0Y OZZ
E-F80- <input type="text" value="Size"/> <input type="text" value="Side"/>	Footshell incl. Spectra sock	22 – 30	276 g (size 26)	4 602 029 0X 00 OZZ

→ Order No. determine  +  = 1 – 6 +  L = left, R = right

Sample Foot F360 in size 26, side right, category 2 → Order No. F360-26-2 and E-F80-26R

→ Article No. specify X = , Y = , ZZ =

Sample Foot F360 in size 26, category 2 → Article No. 4 603 200 00 02 026

Sample Footshell E-F80 in size 26, side right → Article No. 4 602 029 02 00 026

### Category selection

Category	Foot Size	Low Load Hiking, Golf	Medium Load Hiking, Jogging, Skiing	High Load Tennis, Soccer, Basketball
1	23 – 27	33 – 64 kg	33 – 64 kg	
2	23 – 28	65 – 79 kg	65 – 79 kg	33 – 64 kg
3	23 – 29	80 – 95 kg	80 – 95 kg	65 – 79 kg
4	24 – 29	96 – 111 kg	96 – 111 kg	80 – 95 kg
5	25 – 29	112 – 127 kg	112 – 127 kg	96 – 111 kg
6	27 – 29	128 – 159 kg	128 – 159 kg	112 – 127 kg



**Uniprox GmbH & Co. KG**

Heinrich-Heine-Straße 4  
07937 Zeulenroda-Triebes  
Germany

Mail [info@uniprox.de](mailto:info@uniprox.de)

Customer Service +49 36628 66 33 00

**Care creates freedom**  
uniquely close and human

**uniprox.de** A company of the Bauerfeind Group